


TOOLCO®



PACK SYSTEM



ON THE MARKET SINCE 1985

TOOLCO has over 30 years of experience in production of innovative products from wire steel and tinplate for clients from Europe, Asia and North America. Modern technologies, the highest standards of service and excellent quality materials help us to provide products that perfectly match the requirements of our clients.

The excellent knowledge of market needs, many years of experience and growing technological capabilities have led us to establish our own brand of roof accessories - TOOLCO ROOFSYSTEM. We offer products that are made of the highest quality materials in different sizes and colours from RAL palette.

TRUSTWORTHY BRAND

Our mission is to provide products that perfectly match the needs and requirements of customers. We build long-term relationships with our clients on mutual trust, the highest standards of service, meeting deadlines and competitive prices.

QUALITY BASED ON EXPERIENCE

The confirmation of reliability and professionalism is our Quality Management System based on ISO 9001:2015 and implemented by each TOOLCO employee. The management of the company ensures the constant improvement of the system. We have also acquired technical approvals from the Building Technique Institute.

ADVANCED TECHNOLOGICAL FACILITIES

We have professionally equipped production center in Bialystok and modern production branch in Monki. We care about the continual development of technological possibilities. Our staff regularly improves their qualifications.

Why TOOLCO?

1985

Many years of experience in the industry



Wide range of products



Clients from all over the world



Modern technical facilities



Polish capital



The highest European quality of products



Continual development of technology



Competitive trading conditions



Individual approach to each client



Certificates and approvals



Expert advice



We invite you to cooperate


CEO of the company

QUALITY

no compromise...


TOOLCO company introduced the Quality Management System based on ISO 9001:2015 and since 2000 has been constantly improving it. Successively acquired certificates are the proof of our credibility and help building the image of a responsible partner, oriented on pro-quality activities and continuous development.



Management
system
ISO 9001:2015

www.tuv.com
ID 9105057971

Expanding the activities our company introduced the Factory Production Control. It's purpose is to ensure the stability of production and guarantee that the products always have the same parameters, consistent with the reference documents.



**FACTORY
PRODUCTION
CONTROL**



In our production we put emphasis on the quality of the product, which is created through repeated technological examinations. Due to using high quality materials in the production processes, we are able to guarantee the highest quality of our assortment.



PACKAGING ACCESSORIES

Packaging accessories manufactured by TOOLCO are used to secure cargo transported by land, sea and air. Our offer includes wire buckles, metal seals and other clips applicable in all kinds of packaging tapes like polypropylene PP, polyester PET (hard), polyester FIBROUS (soft), woven and composite, protective plastic corners, strapping and foil dispensers, hand tools for strappings, lift eye, as well as label overhangs.



06 - 09

STRAPPING BUCKLES AND SEALS

10 - 11

PLASTIC CORNERS

12 - 15

DISPENSERS FOR STRAPPING AND FOIL

16 - 17

HAND TOOL FOR STRAPPINGS

18 - 20

ACCESSORIES FOR STEEL STRAPPING



STRAPPING BUCKLES AND SEALS

07 - 08

WIRE BUCKLES

09

METAL SEALS

STRAPPING BUCKLES




USED FOR FASTENING ALL KINDS OF STRAPPING.

MATERIAL

Steel wire with the galvanized antislip mat coating.

ADVANTAGES

Available in various dimensions and strength parameters. Lack of mechanical damages of the coating due to putting zinc after forming the wire. High tensile strength. Used for the following strapping types: polypropylene PP, polyester PET (hard), polyester FIBROUS (soft), polyester woven, polyester composite.



01

Specially designed
and made
for optimum parameters


02

Galvanizing after the forming
process guarantees greater
corrosion resistance

03

Special mat zinc
ant-slip coating
„TOOLCO SURFACE“

TYPES OF WIRE BUCKLES



PLASTIC SEAL PP

TYPE	COATING	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
PP13	POLYPROPYLENE	13	1/2"	1000	132
PP16	POLYPROPYLENE	16	5/8"	1000	132

REGULAR

TYPE	COATING	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
CBP4	ZINC/PHOSPHATED	13	1/2"	1000	176
CBP5	ZINC/PHOSPHATED	16	5/8"	1000	110
CBP6	ZINC/PHOSPHATED	19	3/4"	1000	80
CBP10	ZINC/PHOSPHATED	32	1 1/4"	250	60

HEAVY DUTY

TYPE	COATING	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
CB3	ZINC/PHOSPHATED	10	3/8"	2000	132
CB4	ZINC/PHOSPHATED	13	1/2"	1000	132
CB5	ZINC/PHOSPHATED	16	5/8"	1000	96
CB6	ZINC/PHOSPHATED	19	3/4"	1000	60
CB8	ZINC/PHOSPHATED	25	1"	500	60
CB10	ZINC/PHOSPHATED	32	1 1/4"	250	51
CB12	ZINC/PHOSPHATED	40	1 1/2"	200	51

EXTRA HEAVY DUTY

TYPE	COATING	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
CBH4	ZINC/PHOSPHATED	13	1/2"	1000	110
CBH5	ZINC/PHOSPHATED	16	5/8"	1000	80
CBH6	ZINC/PHOSPHATED	19	3/4"	1000	51
CBH8	ZINC/PHOSPHATED	25	1"	400	44

METAL SEAL FOR POLYPROPYLENE PP STRAPPING

USED FOR FASTENING LIGHT LOADINGS WITH POLYPROPYLENE PP STRAPPING.

MATERIAL

Steel tinplate

ADVANTAGES

Available in various dimensions and strength types. Special inside tabs which cause better holding of the strapping in the seal. Easy and handy in use.



PARAMETERS

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
M10	10	3/8"	5000	80
M13	13	1/2"	3000	80
M16	16	5/8"	2500	80
M19	19	3/4"	2000	80

METAL SEAL FOR POLYESTER PET STRAPPING

USED FOR FASTENING GOODS WITH PET STRAPPING (HARD POLYESTER).

MATERIAL

Galvanized steel tinplate

ADVANTAGES

Antislipping coating. Porous inside which prevents strapping from slipping out after tightening the seal.



PARAMETERS

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
PET13	13	1/2"	1000	132
PET16	16	5/8"	1000	132

METAL SEAL FOR POLYPROPYLENE PP AND POLYESTER PET STRAPPINGS

USED FOR FASTENING GOODS WITH POLYPROPYLENE PP AN POLYESTER PET STRAPPINGS.

MATERIAL

Galvanized steel tinplate

ADVANTAGES

High resistance to corrosion. Easy and handy in use.



PARAMETERS

TYPE	DIMENSION (MM)	PACKAGE (PCS)	QUANTITY ON A PALLET
M12	12 x 0,5 x 25	2000	149
M13	13 x 0,6 x 32	2000	96



PLASTIC CORNERS

11
PLASTIC CORNERS



PLASTIC CORNERS



USED ON PACKAGES FOR EDGES PROTECTION.

MATERIAL

Polypropylene PP

ADVANTAGES

Produced from high quality polypropylene. Easily adjusts to the shape of a package. Suitable for recycling. Resistant to pressing. Protects the edges of packages against damaging. Used for any type of strapping, i.a. PP, PET. Corner with pick: equipped with special stabilizing picks due to which the corner has better grip to a package. Corner with hole: equipped with special holes which protect strapping from slipping out.

CORNER WITHOUT PICK



CORNER WITH PICK



CORNER WITH HOLE



PP CORNER

MATERIAL

Polypropylene PP with biodegradable addition.

ADVANTAGES

Product friendly to the environment, biodegradable. Easily adjusts to the shape of package.



PARAMETERS

TYPE	DIMENSION (MM)	STRAPPING WIDTH (MM)	PACKAGE (PCS)
WITHOUT PICK	42 x 42	UP TO 25	2000
WITH PICK	42 x 42	UP TO 25	2000
WITH HOLE	42 x 42	UP TO 25	2000
PP CORNER	32 x 32	UP TO 20	1000




DISPENSERS

13

DST-P, DST-S

14 - 15

SMALL, FOIL DISPENSER



DISPENSER FOR STRAPPING

USED FOR COMFORTABLE EXPANDING OF STRAPPING.

MATERIAL

Steel, rubber wheels

ADVANTAGES

Steel and solid design. Easy and handy in useage and carrying.
Prevents from rolling out of the strapping. Eguipped with a container for buckles/seals and hand tools.

DISPENSER FOR STRAPPING DST-P



DISPENSER FOR STRAPPING DST-S



PARAMETERS

TYPE	PLATE DIAMETER (MM)	INTERNAL DIAMETER OF REEL (MM)	PACKAGE (PCS)	QUANTITY ON A PALLET
DST-P	650	150,200,280,406	1	4
DST-S	460	200	1	4

SMALL DISPENSER

FASILITATES EXPANDING STRAPPING DURING PACKING GOODS.

MATERIAL

Plastic, steel, non-slip rubber handle

ADVANTAGES

Solid, handy, light.
Equipped with a container for buckles and seals with strongly closed cover. Blockade preventing strapping from falling out. Available in three models.



PARAMETERS

TYPE	INTERNAL DIAMETER OF REEL (MM)	PACKAGE (PCS)	QUANTITY ON A PALLET
DST-M	70	1/2	20/40
DST-M/A	20 inside/70	1/2	20/40
DST-M/B	70	1/2	20/40

FOIL DISPENSER

USED FOR EASY FOIL STRETCHING.

MATERIAL

Steel, non-slip rubber handle


ADVANTAGES

Solid, handy and light.
Comfortable rubber handles enabling to regulation of foil stretch.
Easy rolls changing.



PARAMETERS

TYPE	ROLL HEIGHT (MM)	PACKAGE (PCS)	QUANTITY ON A PALLET
STF-1	450-500	1	80






HAND TOOLS FOR STRAPPING

17

TOOL-CO25, H-21, H-22



HAND TOOLS FOR STRAPPING

Hand tools for strapping



MATERIAL

Metal

ADVANTAGES

Solid and durable. High tensile strength.
Use for strappings of various width and on different surfaces. Easy and handy in usage.
Multiple use without losing parameters, solidity and durability of the product.

TOOL-CO25



HAND TOOL H-21



HAND TOOL H-22



PARAMETERS

TYPE	STRAPPING WIDTH (MM)	PACKAGE (PCS)
TOOL-CO25	13-25	1
H-21	19	1
H-22	19	1



ACCESSORIES FOR STEEL STRAPPING

19

SEALS FOR STEEL STRAPPING

20

LIFT EYE, LABEL OVERHANGS



ACCESSORIES FOR STEEL STRAPPING

SEALS FOR STEEL STRAPPING


MATERIAL

Steel tinplate

ADVANTAGES

Protects heavy loadings.
Solid and durable.
Available in various dimensions and strength parameters.

CLOSED SEALS



OPEN SEALS



CLOSED SEALS

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
ZF 13/25	13	1/2"	1000	198
ZF 16/22	16	5/8"	1000	176
ZF 19/25	19	3/4"	1000	140
ZF 19/45	19	3/4"	1000	60
ZF 32/45	32	1"	300	112
ZF 32/55	32	1 1/4"	250	96

OPEN SEALS

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)	QUANTITY ON A PALLET
O/13/27	13	1/2"	1000	330
O/16/37	19	5/8"	1000	330
O/32/45	32	1 1/4"	300	112
O/32/55	32	1 1/4"	250	112

LIFT EYE

USED FOR LIFTING OR CARRYING HEAVY ELEMENTS.

MATERIAL

Steel wire

ADVANTAGES

Safe and comfortable lifting of heavy goods.
Multiple of usage.

PARAMETERS

DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)
45	1,77"	100



LABEL OVERHANGS

USED FOR TAGGING AND LABELLING OF CARGO.


MATERIAL

Galvanized spring wire

ADVANTAGES

Used for all types of strapping.
Easy in use.
Very handy and aesthetic solution.
Possibility to place the label in any time during banding of goods.

LABEL OVERHANGS



LABEL OVERHANGS „SAFETY-PIN“



LABEL OVERHANGS

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)
LARGE	56	2,2"	1000
SMALL	37	1,45"	1000

LABEL OVERHANGS „SAFETY-PIN“

TYPE	DIMENSION (MM)	DIMENSION (INCH)	PACKAGE (PCS)
LARGE	80	3,14"	1000
SMALL	40	1,57"	1000



TOOLCO®
PACK SYSTEM

www.toolco.pl